

Fig. 4




Fig. 5




Fig. 6

Insightlook Environment - [Text connections]	
Application	DataImports DataAnalysis QueriesAnalysis Search Admin
<div> <input type="checkbox"/> aids           <div>             patient, available              states, limited, some, others              researchers, 1996, average, 1998              insurance, doctors              disease, survival, progression, improved, welcome, response           </div> </div>	<div> <input type="checkbox"/> employees in selected cluster           <div>             Name              Dr. Zamir              Mail Address              Zamir@MIL.com              Job Title              Analyst              Phone Number              551212           </div> </div>
<div> <input type="checkbox"/> Text connections           <div>             Pressing OK will refresh all              data presented in this form           </div> <div> <input type="button" value="OK"/> <input type="button" value="Cancel"/> </div> </div>	<div> <input type="checkbox"/> The cost per patient typically ranges from.....many people without adequate insurance           <div> <input type="checkbox"/> Unfortunately, a disproportionate number of people with HIV are poor or lack insurance thus increasing...           </div> </div>
<div> <input type="checkbox"/> While many insurance carriers pays for these tests, many Medicaid programs do not...           <div> <input type="button" value="Show Document"/> </div> </div>	<div> <input type="checkbox"/> According to the NEJM editorial, Medicaid is the largest health insurance program...           <div> <input type="checkbox"/> Not surprisingly, the RUND study showed that drug costs were higher among underserved groups, including... and patients without private insurance.           </div> </div>

Fig. 7

